

**ORDINANCE NO. 449**

AN ORDINANCE AMENDING ORDINANCE NO. 408 OF THE GREATER PEORIA  
SANITARY AND SEWAGE DISPOSAL DISTRICT

ENTITLED

AN ORDINANCE ENACTING A GENERAL INDUSTRIAL  
PRETREATMENT PROGRAM, REGULATING THE USE OF PUBLIC  
AND PRIVATE SEWERS AND DRAINS, PRIVATE SEWAGE DISPOSAL,  
THE INSTALLATION AND CONNECTION OF BUILDING SEWERS, THE  
DISCHARGING OF WATERS AND WASTES INTO THE PUBLIC SEWER  
SYSTEM, THE IMPOSING OF A SEWERAGE CONNECTION CHARGE,  
PROVIDING PENALTIES FOR VIOLATIONS THEREOF, AND  
REPEALING CERTAIN ORDINANCES THEREIN NAMED, IN THE  
GREATER PEORIA SANITARY AND SEWAGE DISPOSAL DISTRICT OF  
PEORIA COUNTY, ILLINOIS.

BE IT ORDAINED BY THE BOARD OF TRUSTEES OF THE GREATER PEORIA  
SANITARY AND SEWAGE DISPOSAL DISTRICT:

ARTICLE I

That new Sub-Section 706.19 of Section 706 of ARTICLE VII - WASTEWATER  
DISCHARGE CRITERIA of Ordinance No. 408 be added, therefore, as follows:

706.19            Any Pollutant, including oxygen demanding Pollutants (BOD, etc.),  
released in a discharge at a flow rate and/or Pollutant concentration  
which will cause Interference with the POTW.

ARTICLE II

That Section 707 of ARTICLE VII - WASTEWATER DISCHARGE CRITERIA of  
Ordinance No. 408 be deleted and new Section 707 be substituted, therefore, as follows:

Section 707. Unless a User has been classified an Industrial User by the District, and has a  
valid Wastewater Discharge Permit issued by the District which provides alternative limits  
for a specific Pollutant, no Person shall discharge any Wastewater or waste, based on a  
working day or 24-hour Composite Sample (except Grab Samples must be used for  
Hexavalent Chromium, Cyanide, Grease and Oil, Phenols and Volatile Organics) obtained  
and analyzed under the provisions of this Ordinance, which contains any Pollutants in  
concentration greater than listed as follows:

<u>Pollutant</u>	<u>Maximum Allowed Concentration mg/l</u>
Arsenic (As)	0.25
Barium (Ba)	2.0
Cadmium (Cd)	0.15
Chromium (Cr)	
- Total	1.0
- Hexavalent	0.1
Copper (Cu)	0.5
Cyanide	0.1
Fluoride	15.0
Grease & Oil (FOG)	100
Iron (Fe)	2.0
Lead (Pb)	0.2
Manganese	1.0
Mercury (Hg)	0.0005
Nickel (Ni)	1.0
Phenols	0.3
Silver (Ag)	0.1
Total Dissolved Solids (TDS)	3500
Zinc (Zn)	1.0
All Pollutants listed in 40 CFR 401.15 and not regulated elsewhere in this Ordinance	0.1

Alternative limits may be granted to Industrial Users by issuance of a Wastewater Discharge Permit provided the District has determined that no adverse effect on the District's facilities will occur from the alternative limits and the Industrial User can justify to the District's satisfaction the above listed limits cannot reasonably be achieved.

ARTICLE III

EFFECTIVE DATE

This Ordinance shall take effect from and after its passage, approval, recording and due publication as provided by law.

THE GREATER PEORIA SANITARY  
AND SEWAGE DISPOSAL DISTRICT

BY *Kent A. Rotherham*  
Kent A. Rotherham, President

By *George B. Merkle*  
George B. Merkle, Clerk



Passed: August 19, 1997  
Approved: August 19, 1997  
Recorded: August 19, 1997  
Published: August 22, 1997